INDEX TO AUTHORS

A

Almquist, H. J., and **Stokstad, E. L. R.** Hemorrhagic chick disease of dietary origin, 105

Anderson, Carl. See GREENBERG, ANDERSON, and TUFTS, 561

Anderson, Ernest, and **Krznarich, Paul W.** Hemicellulose from oat hulls, 549

B

Babers, Frank H. See GOEBEL and BABERS, 347

Bates, Robert W., and **Koch, F. C.** Studies on the trypsinogen, enterokinase, and trypsin system. Assay methods for trypsinogen and enterokinase, 197

Bellis, Carroll J., and **Scott, F. H.** The alteration of protein distribution, *in vitro*, between corpuscles and plasma caused by isosmotic and hyperosmotic solutions, 17

Bergmann, Max, and **Ross, William F.** On proteolytic enzymes. VIII. The proteolytic systems of papain, 659

—, **Zervas, Leonidas,** and **Fruton, Joseph S.** On proteolytic enzymes. VI. On the specificity of papain, 225

—, —, and **Ross, William F.** On proteolytic enzymes. VII. The synthesis of peptides of *l*-lysine and their behavior with papain, 245

Bernheim, Frederick. The oxidation of *l*- and *dl*-tyrosine by the livers and kidneys of various animals, 217

Bessey, Otto A., King, C. G., Quinn, E. J., and **Sherman, H. C.** The normal distribution of calcium between the skeleton and soft tissues, 115

Blair, H. A. See RAY and BLAIR, 371

Blatherwick, N. R., Bradshaw, Phoebe J., Ewing, Mary E., Larson, Hardy W., and **Sawyer, Susan D.** The determination of tissue carbohydrates, 537

Boyd, Eldon M. The lipid content of the jelly of Wharton, 667

Bradshaw, Phoebe J. See BLATHERWICK, BRADSHAW, EWING, LARSON, and SAWYER, 537

C

Caldwell, M. L., and **Hildebrand, F. C.** A method for the direct and quantitative study of amyloclastic activity of amylases, 411

Chen, A. Ling. See CHEN and CHEN, 653

Chen, K. K., and **Chen, A. Ling.** The alkaloid of chin-shih-hu, 653

Christensen, L. M. See STAVELY, CHRISTENSEN, and FULMER, 771, 785, 791

Clifcorn, L. E., Meloche, V. W., and Elvehjem, C. A. The absorption of carbon monoxide with reduced hematin and pyridine hemochromogen, 399

Clowes, G. H. A. See KRAHL and CLOWES, 355

Compton, Jack. See LEVENE and COMPTON, 325, 335

Craig, Lyman C. See JACOBS and CRAIG, 455

D

Ditt, F. See KLENK and DITT, 749

E

Elderfield, Robert C. The structure and configuration of cymarose, 527

Elliott, Margaret. See TOENNIES and ELLIOTT, 61

Elvehjem, C. A. See CLIFCORN, MELOCHE, and ELVEHJEM, 399

Eveleth, Donald F., and Eveleth, Margaret W. Blood chemistry of swine. II. Further studies of blood changes following the ingestion of glucose, 753

Eveleth, Margaret W. See EVELETH and EVELETH, 753

Ewing, Mary E. See BLATHERWICK, BRADSHAW, EWING, LARSON, and SAWYER, 537

F

Franke, Kurt W. See PAINTER and FRANKE, 643

Fruton, Joseph S. See BERGMANN, ZERVAS, and FRUTON, 225

Fulmer, Ellis I. See STAVELY, CHRISTENSEN, and FULMER, 771, 785, 791

G

Gardner, R. E. See MARTIN and GARDNER, 193

Goebel, Walther F., and Babers, Frank H. Derivatives of glucuronic acid. VI. The preparation of α-chloro- and α-bromotriacetylglucuronic acid methyl ester, and the synthesis of β-glucuronides, 347

Goudsmit, Arnoldus, Jr., and Summerson, William H. A variable layer photoelectric comparison photometer. A new type of photoelectric colorimeter, 421

Graff, M. See SCHOENHEIMER, RITTENBERG, and GRAFF, 183

Graubard, Mark, and Nelson, J. M. Tyrosinase action on mono- and dihydric substrates, 757

Greenberg, David M., Anderson, Carl, and Tufts, Elma V. A note on a closed titration flask for use in the bromometric determination of magnesium with 8-hydroxyquinoline. Application to the estimation of magnesium in tissues and urine, 561

H

Harris, Stanton A. See LEVENE and HARRIS, 725, 735

Hellerman, Leslie. See SCHOCK, JENSEN, and HELLERMAN, 553

Hendricks, Sterling B. See MARKLEY, HENDRICKS, and SANDO, 133

Hildebrand, F. C. See CALDWELL and HILDEBRAND, 411

J

Jackson, Richard W. See WHITE and JACKSON, 507

Jacobs, Walter A., and Craig, Lyman C. The ergot alkaloids. VI. Lysergic acid, 455

Jensen, H. See SCHOCK, JENSEN, and HELLERMAN, 553

Jones, James H. Further observations on the possible interrelationship between the physiological actions of the parathyroid glands and vitamin D, 155

Joseph, Norman R. Interaction of amino acids and salts. I. Zinc chloride, 479

—. II. Sodium chloride and thallous chloride, 489

Jukes, Thomas H. See LEPKOVSKY and JUKES, 119

K

King, C. G. See BESSEY, KING, QUINN, and SHERMAN, 115

Kirk, Esben, Lewis, William H., Jr., and Thompson, William R. The effect of age on the plasma calcium content of men, 641

—. See PAGE, KIRK, LEWIS, THOMPSON, and VAN SLYKE, 613

Klenk, E., and Ditt, F. The oxidation of *dl*-α-hydroxystearic acid and its significance as regards the structure of cerebronic acid. A reply to the paper of Levene and Yang, 749

Koch, F. C. See BATES and KOCH, 197

Krahl, M. E., and Clowes, G. H. A. Some effects of dinitrocresol on oxidation and fermentation, 355

Krznarich, Paul W. See ANDERSON and KRZNARICH, 549

Kuna, Martin. See LEVENE and ROTHEN, 739

Kurtz, Alton C., and Luck, James Murray. Studies on annelid muscle. I. Taurine in *Audouinia spirabranchus*, Moore, 577

L

Larson, Hardy W. See BLATHERWICK, BRADSHAW, EWING, LARSON, and SAWYER, 537

Lehman, W., and Scott, F. H. Note on the total protein content of plasma and serum, 43

Lepkovsky, Samuel, and Jukes, Thomas H. The vitamin G requirements of the chick, 119

Levene, P. A., and Compton, Jack. Crystalline *d*-gulomethylose and derivatives, 335

— and —. *d*-Xylomethylose and derivatives, 325

— and **Harris, Stanton A.** Maximum rotations of carboxylic acids containing a phenethyl group, 725

— and —. Optical rotation of methyloctylphenethylmethane, 735

— and **Marker, R. E.** The configurational relationship of acids of the isopropyl and isobutyl series to those of the normal series, 299

Levene, P. A., and **Rothen, Alexandre.** Optical rotation of configurationally related aldehydes, 739

— and **Tipson, R. Stuart.** The partial synthesis of ribose nucleotides. II. Muscle inosinic acid, 313

— and **Yang, P. S.** The oxidation of *dl*-α-hydroxystearic acid and its significance as regards the structure of cerebronic acid. A reply to the paper of Klenk and Ditt, 751

Lewis, William H., Jr. See Kirk, Lewis, and Thompson, 641

—. See Page, Kirk, Lewis, Thompson, and Van Slyke, 613

Loring, Hubert S., and **du Vigneaud, Vincent.** The synthesis of crystalline cystinyldiglycine and benzylcysteinylglycine and their isolation from glutathione, 385

Lucas, Colin C. See Ross and Lucas, 285

Luck, James Murray. See Kurtz and Luck, 577

M

Mackinney, G. Leaf carotenes, 75

Marker, R. E. See Levene and Marker, 299

Markley, K. S., Hendricks, Sterling B., and **Sando, Charles E.** Constituents of the wax-like coating of the pear, *Pyrus communis*, L., 133

Martin, Gustav J., and **Gardner, R. E.** The trichogenic action of the sulfhydryl group in hereditary hypotrichosis of the rat, 193

Meloche, V. W. See Clifcorn, Meloche, and Elvehjem, 399

Milhorat, Ade T. Liver arginase in myasthenia gravis. A contribution to the question of the origin of creatine, 379

Milner, Harold W. See Spoehr and Milner, 679

Mitchell, H. H. The substitution of dithioethylamine (cystine amine) for cystine in the diet of the white rat, 699

N

Nelson, J. M. See Graubard and Nelson, 757

—. See Saul and Nelson, 95

O

Oberst, Fred W. Studies in glutathione. III. The disappearance of glutathione added to various solutions and biological fluids, 9

— and **Woods, E. B.** Studies in glutathione. II. Relation between reduced and oxidized glutathione and the oxygen content and capacity of blood, 1

P

Page, Irvine H., Kirk, Esben, Lewis, William H., Jr., Thompson, William R., and **Van Slyke, Donald D.** Plasma lipids of normal men at different ages, 613

Painter, E. Page, and **Franke, Kurt W.** Selenium in proteins from toxic foodstuffs. III. The

removal of selenium from toxic protein hydrolysates, 643
Patterson, Wilbur I., and du Vigneaud, Vincent. The synthesis of homocystine, 393
Pfiffner, J. J., Wintersteiner, Oskar, and Vars, Harry M. Chemical studies on the adrenal cortex. I. Fractionation studies on hormone concentrates, 585
—. See WINTERSTEINER and PFIFFNER, 599
Pierce, J. A. The application of the microquinhydrone electrode to the determination of the pH of the aqueous humor of rachitic and normal rats, 501

Q

Quinn, E. J. See BESSEY, KING, QUINN, and SHERMAN, 115

R

Rabinowitch, I. M. See ROSS and RABINOWITCH, 803
Ray, G. B., and Blair, H. A. The effect of varying concentrations of oxyhemoglobin on its light absorption, 371
Ray, Thomas W. A microchemical study of human biliary calculi, 689
Rittenberg, D., and Schoenheimer, Rudolf. Deuterium as an indicator in the study of intermediary metabolism. II. Methods, 169
—. See SCHOENHEIMER and RITTENBERG, 163, 175
—. See SCHOENHEIMER, RITTENBERG, and GRAFF, 183
Ross, Alan, and Rabinowitch, I. M. The copper content of urine of normal children, 803
Ross, John R., and Lucas, Colin C. A new method for the determination of minute amounts of lead in urine, 285
Ross, William F. See BERGMANN and ROSS, 659
—. See BERGMANN, ZERVAS, and ROSS, 245
Rothen, Alexandre. See LEVENE and ROTHEN, 739

S

Sando, Charles E. See MARKLEY, HENDRICKS, and SANDO, 133
Saul, Everett L., and Nelson, J. M. The influence of proteins on the activity of yeast invertase, 95
Sawyer, Susan D. See BLATHERWICK, BRADSHAW, EWING, LARSON, and SAWYER, 537
Schock, Ellen D., Jensen, H., and Hellerman, Leslie. The inactivation of insulin. The effects of certain metal derivatives and of sulfhydryl compounds, 553
Schoenheimer, Rudolf, and Rittenberg, D. Deuterium as an indicator in the study of intermediary metabolism. I, 163
— and —. III. The rôle of the fat tissues, 175
—, —, and **Graff, M.** Deuterium as an indicator in the study of intermediary metabolism. IV. The mechanism of coprosterol formation, 183
—. See RITTENBERG and SCHOENHEIMER, 169
Schubert, Maxwell P. Combination of thiol acids with methylglyoxal, 671

Scott, F. H. See BELLIS and SCOTT, 17
—. See LEHMAN and SCOTT, 43
Shaffer, Philip A., and **Williams, Ray D.** Sugar determination by the ferricyanide electrode, 707
Sherman, H. C. See BESSEY, KING, QUINN, and SHERMAN, 115
Shinohara, Kamenosuke. The determination of thiol and disulfide compounds, with special reference to cysteine and cystine. III. Reactions between thiol compounds and mercuric chloride, 435
Sinclair, Robert Gordon. The metabolism of the phospholipids. VI. Relative proportions of saturated and unsaturated fatty acids in phospholipids of different degrees of unsaturation, 261
—. VII. Further evidence of the selection and retention of unsaturated fatty acids by phospholipids of animal tissues, 275
—. VIII. The passage of elaidic acid into tissue phospholipids. Evidence of the intermediary rôle of liver phospholipid in fat metabolism, 515
Sperry, Warren M. Cholesterol esterase in blood, 467
Spoehr, H. A., and **Milner, Harold W.** Leaf starch: its isolation and some of its properties, 679
Stare, F. J. The preparation and nutritional value of hepatoflavin, 567
Stavely, Homer E., Christensen, L. M., and **Fulmer, Ellis I.** Studies on yeast zymin. I. The effect of some electrolytes upon carbon dioxide production, 771
—, —, and —. II. The effect of ethanol upon the production of carbon dioxide, 785
—, —, and —. III. The effect of some electrolytes, and of ethanol, upon the phosphate content during fermentation, 791
Stokstad, E. L. R. See ALMQUIST and STOKSTAD, 105
Strain, Harold H. Carotene. IX. Carotenes from different sources and some properties of α- and β-carotene, 85
Summerson, William H. See GOUDSMIT and SUMMERSON, 421
Svirbely, Joseph L. The effect of desiccated thyroid, α-dinitrophenol, and cortical hormone extract on the vitamin C content of some organs of the guinea pig fed graded doses of ascorbic acid, 147

T

Thompson, William R. See KIRK, LEWIS, and THOMPSON, 641
—. See PAGE, KIRK, LEWIS, THOMPSON, and VAN SLYKE, 613
Tipson, R. Stuart. See LEVENE and TIPSON, 313
Toennies, Gerrit, and **Elliott, Margaret.** The precipitation of *l*-, *dl*-, and *m*-cystine by phospho-12-tungstic acid, 61

Tomiyama, Tetuo. The apparent dissociation constants of canavanine and canaline, 45
—. On the nature of the reaction which takes place between certain amino acids and formaldehyde, 51
Tufts, Elma V. See GREENBERG, ANDERSON, and TUFTS, 561

V

Van Slyke, Donald D. See PAGE, KIRK, LEWIS, THOMPSON, and VAN SLYKE, 613
Vars, Harry M. See PFIFFNER, WINTERSTEINER, and VARS, 585
du Vigneaud, Vincent. See LORING and DU VIGNEAUD, 385
—. See PATTERSON and DU VIGNEAUD, 393

W

Wang, Chi Che. Improvements in the methods for calcium determination in biological material, 443
White, Abraham, and **Jackson, Richard W.** The effect of bromobenzene on the utilization of cystine and methionine by the growing rat, 507
Williams, Ray D. See SHAFFER and WILLIAMS, 707
Wintersteiner, Oskar, and **Pfiffner, J. J.** Chemical studies on the adrenal cortex. II. Isolation of several physiologically inactive crystalline compounds from active extracts, 599
—. See PFIFFNER, WINTERSTEINER, and VARS, 585
Woods, E. B. See OBERST and WOODS, 1

Y

Yang, P. S. See LEVENE and YANG, 751

Z

Zervas, Leonidas. See BERGMANN, ZERVAS, and FRUTON, 225
—. See BERGMANN, ZERVAS, and ROSS, 245

INDEX TO SUBJECTS

A

Adrenals: Cortex extracts, inactive crystalline compounds in (WINTERSTEINER and PFIFFNER) 599
— hormone extract, organ vitamin C, ascorbic acid administration with, effect (SVIRBELY) 147
— hormones, fractionation (PFIFFNER, WINTERSTEINER, and VARS) 585

Age: Blood plasma calcium, effect (KIRK, LEWIS, and THOMPSON) 641
— — lipids, effect (PAGE, KIRK, LEWIS, THOMPSON, and VAN SLYKE) 613

Aldehydes: Configurationally related, optical rotation (LEVENE and ROTHEN) 739

Alkaloid(s): Chin-shih-hu (CHEN and CHEN) 653
Ergot (JACOBS and CRAIG) 455

Amine: Dithioethyl-, dietary cystine substitute (MITCHELL) 699

Amino acids: Formaldehyde reaction (TOMIYAMA) 51
Sodium chloride reaction (JOSEPH) 489
Thallous chloride reaction (JOSEPH) 489
Zinc chloride reaction (JOSEPH) 479

Amylases: Amyloclastic activity determination (CALDWELL and HILDEBRAND) 411

Annelid: Muscle (KURTZ and LUCK) 577

Apparatus: Colorimeter, photoelectric (GOUDSMIT and SUMMERSON) 421
Electrode, ferricyanide, sugar determination (SHAFFER and WILLIAMS) 707
Magnesium determination, 8-hydroxyquinoline, titration flask (GREENBERG, ANDERSON, and TUFTS) 561
Microquinhydrone electrode (PIERCE) 501

Aqueous humor: Hydrogen ion concentration determination, microquinhydrone electrode, rachitic and normal rats (PIERCE) 501

Arginase: Liver, myasthenia gravis (MILHORAT) 379

Ascorbic acid: Organ vitamin C, administration with thyroid, α-dinitrophenol, and cortical hormone extract, effect (SVIRBELY) 147

Audouinia spirabranchus: Taurine (KURTZ and LUCK) 577

B

Benzene: Bromo-, cystine utilization, growth, effect (WHITE and JACKSON) 507

Benzene—*continued:*
Bromo-, methionine utilization, growth, effect (WHITE and JACKSON) 507
Benzylcysteinylglycine: Crystalline, synthesis and isolation from glutathione (LORING and DU VIGNEAUD) 385
Bile: Calculi, human (RAY) 689
Blood: Swine, glucose ingestion effect (EVELETH and EVELETH) 753
Blood cell: Protein, blood plasma and, *in vitro*, distribution (BELLIS and SCOTT) 17
Blood plasma: Lipids, age effect (PAGE, KIRK, LEWIS, THOMPSON, and VAN SLYKE) 613
Protein, blood cells and, *in vitro*, distribution (BELLIS and SCOTT) 17
—, total (LEHMAN and SCOTT) 43
Blood serum: Protein, total (LEHMAN and SCOTT) 43
Bromobenzene: Cystine utilization, growth, effect (WHITE and JACKSON) 507
Methionine utilization, growth, effect (WHITE and JACKSON) 507
Bromotriacetylglucuronic acid: α-, methyl ester, preparation (GOEBEL and BABERS) 347
Butyl acids: Iso-, normal series, configurational relationship (LEVENE and MARKER) 299

C

Calcium: Biological material, determination (WANG) 443
Calcium—*continued:*
Blood plasma, age effect (KIRK, LEWIS, and THOMPSON) 641
Skeleton and tissues, soft, distribution (BESSEY, KING, QUINN, and SHERMAN) 115
Calculi: Bile, human (RAY) 689
Canaline: Dissociation constants, apparent (TOMIYAMA) 45
Canavanine: Dissociation constants, apparent (TOMIYAMA) 45
Carbohydrates: Tissue, determination (BLATHERWICK, BRADSHAW, EWING, LARSON, and SAWYER) 537
Carbon dioxide: Production, yeast zymin, electrolytes effect (STAVELY, CHRISTENSEN, and FULMER) 771
—, — —, ethanol effect (STAVELY, CHRISTENSEN, and FULMER) 785
Carbon monoxide: Absorption, hematin, reduced (CLIFCORN, MELOCHE, and ELVEHJEM) 399
—, pyridine hemochromogen (CLIFCORN, MELOCHE, and ELVEHJEM) 399
Carboxylic acids: Phenethyl group-containing, maximum rotations (LEVENE and HARRIS) 725
Carotenes: α-, properties (STRAIN) 85
β-, properties (STRAIN) 85
Leaf (MACKINNEY) 75
Occurrence (STRAIN) 85

Cerebronic acid: Chemical constitution, *dl*-α-hydroxystearic acid oxidation, relationship (KLENK and DITT) 749
(LEVENE and YANG) 751
Chick: Disease, hemorrhagic, diet relation (ALMQUIST and STOKSTAD) 105
Vitamin G requirements (LEPKOVSKY and JUKES) 119
Children: Urine copper (Ross and RABINOWITCH) 803
Chin-shih-hu: Alkaloid (CHEN and CHEN) 653
Chlorotriacetylglucuronic acid: α-, methyl ester, preparation (GOEBEL and BABERS) 347
Cholesterol: Esterase, blood (SPERRY) 467
Colorimeter: Photoelectric (GOUDSMIT and SUMMERSON) 421
Copper: Urine, children (Ross and RABINOWITCH) 803
Coprosterol: Formation, deuterium as indicator (SCHOENHEIMER, RITTENBERG, and GRAFF) 183
Creatine: Origin (MILHORAT) 379
Cresol: Dinitro-, oxidation and fermentation effects (KRAHL and CLOWES) 355
Cymarose: Chemical constitution (ELDERFIELD) 527
Cysteine: Determination (SHINOHARA) 435
Cystine: Determination (SHINOHARA) 435
Dietary, cystine amine as substitute (MITCHELL) 699
Cystine—*continued:*
Dietary, dithioethylamine as substitute (MITCHELL) 699
dl-, precipitation, phospho-12-tungstic acid (TOENNIES and ELLIOTT) 61
Homo-, synthesis (PATTERSON and DU VIGNEAUD) 393
l-, precipitation, phospho-12-tungstic acid (TOENNIES and ELLIOTT) 61
m-, precipitation, phospho-12-tungstic acid (TOENNIES and ELLIOTT) 61
Utilization, growth, bromobenzene effect (WHITE and JACKSON) 507
Cystine amine: Dietary cystine substitute (MITCHELL) 699
Cystinyldiglycine: Crystalline, synthesis and isolation from glutathione (LORING and DU VIGNEAUD) 385

D

Deuterium: Coprosterol formation indicator (SCHOENHEIMER, RITTENBERG, and GRAFF) 183
Fat metabolism indicator (SCHOENHEIMER and RITTENBERG) 175
Metabolism, intermediary, indicator (SCHOENHEIMER and RITTENBERG) 163
(RITTENBERG and SCHOENHEIMER) 169
Diet: Chick disease, hemorrhagic, relation (ALMQUIST and STOKSTAD) 105

Dihydric substrates: Tyrosinase action (GRAUBARD and NELSON) 757
Dinitrocresol: Oxidation and fermentation effects (KRAHL and CLOWES) 355
Dinitrophenol: α-, organ vitamin C, ascorbic acid administration with, effect (SVIRBELY) 147
Disulfide compounds: Determination (SHINOHARA) 435
Dithioethylamine: Dietary cystine substitute (MITCHELL) 699

E

Elaidic acid: Tissue phospholipids, relation (SINCLAIR) 515
Electrode: Ferricyanide, sugar determination (SHAFFER and WILLIAMS) 707
Microquinhydrone, aqueous humor hydrogen ion concentration determination, rachitic and normal rats (PIERCE) 501
Electrolytes: Yeast zymin carbon dioxide production, effect (STAVELY, CHRISTENSEN, and FULMER) 771
— — fermentation, phosphate content, effect (STAVELY, CHRISTENSEN, and FULMER) 791
Enterokinase: Determination (BATES and KOCH) 197
Enzymes: Proteolytic (BERGMANN, ZERVAS, and FRUTON) 225
(BERGMANN, ZERVAS, and ROSS) 245
(BERGMANN and ROSS) 659
Enzymes—*continued:*
See also Amylase, Arginase, Enterokinase, Esterase, Invertase, Papain, Trypsin, Tyrosinase, Zymin
Ergot: Alkaloids (JACOBS and CRAIG) 455
Esterase: Cholesterol, blood (SPERRY) 467
Ethanol: Yeast zymin carbon dioxide production, effect (STAVELY, CHRISTENSEN, and FULMER) 785
— — fermentation, phosphate content, effect (STAVELY, CHRISTENSEN, and FULMER) 791
See also Ethyl alcohol
Ethyl alcohol: *See also* Ethanol

F

Fat: Metabolism, deuterium as indicator (SCHOENHEIMER and RITTENBERG) 175
—, liver phospholipid, relation (SINCLAIR) 515
Fatty acids: Phospholipids (SINCLAIR) 261
Unsaturated, tissue phospholipids, selection and retention (SINCLAIR) 275
Fermentation: Dinitrocresol effect (KRAHL and CLOWES) 355
Ferricyanide: Electrode, sugar determination (SHAFFER and WILLIAMS) 707
Flavin: Hepato-, preparation and nutritional value (STARE) 567
Foodstuffs: Toxic, protein selenium, removal (PAINTER and FRANKE) 643

Formaldehyde: Amino acids, reaction (TOMIYAMA) 51

G

Glucose: Blood changes, swine, ingestion effect (EVELETH and EVELETH) 753
Glucuronic acid: α-Bromotriacetyl-, methyl ester, preparation (GOEBEL and BABERS) 347
α-Chlorotriacetyl-, methyl ester, preparation (GOEBEL and BABERS) 347
Glucuronides: β-, synthesis (GOEBEL and BABERS) 347
Glutathione: Benzylcysteinylglycine isolation from (LORING and DU VIGNEAUD) 385
Cystinyldiglycine isolation from (LORING and DU VIGNEAUD) 385
Disappearance, biological fluids (OBERST) 9
Reduced and oxidized, blood oxygen capacity and content, relation (OBERST and WOODS) 1
Glycine: Benzylcysteinyl-, crystalline, synthesis and isolation from glutathione (LORING and DU VIGNEAUD) 385
Cystinyldi-, crystalline, synthesis and isolation from glutathione (LORING and DU VIGNEAUD) 385
Glyoxal: Methyl-, thiol acids, combination (SCHUBERT) 671
Growth: Cystine utilization, bromobenzene effect (WHITE and JACKSON) 507
Growth—*continued:*
Methionine utilization, bromobenzene effect (WHITE and JACKSON) 507
Gulomethylose: *d*-, crystalline, and derivatives (LEVENE and COMPTON) 335

H

Hematin: Reduced, carbon monoxide absorption (CLIFCORN, MELOCHE, and ELVEHJEM) 399
Hemicellulose: Oat hulls (ANDERSON and KRZNARICH) 549
Hemochromogen: Pyridine, carbon monoxide absorption (CLIFCORN, MELOCHE, and ELVEHJEM) 399
Hemorrhage: Chick disease, diet relation (ALMQUIST and STOKSTAD) 105
Hepatoflavin: Preparation and nutritional value (STARE) 567
Homocystine: Synthesis (PATTERSON and DU VIGNEAUD) 393
Hydrogen ion concentration: Aqueous humor, determination, microquinhydrone electrode, rachitic and normal rats (PIERCE) 501
Hydroxyquinoline: 8-, magnesium determination (GREENBERG, ANDERSON, and TUFTS) 561
Hydroxystearic acid: *dl*-α-, oxidation, cerebronic acid chemical constitution, relationship (KLENK and DITT) 749
(LEVENE and YANG) 751

Hypotrichosis: Hereditary, sulfhydryl group, trichogenic action (MARTIN and GARDNER) 193

I

Inosinic acid: Muscle (LEVENE and TIPSON) 313
Insulin: Inactivation, metal derivatives and sulfhydryl compounds, effect (SCHOCK, JENSEN, and HELLERMAN) 553
Invertase: Yeast, activity, protein influence (SAUL and NELSON) 95
Isobutyl acids: Normal series, configurational relationship (LEVENE and MARKER) 299
Isopropyl acids: Normal series, configurational relationship (LEVENE and MARKER) 299

J

Jelly: Wharton, lipid (BOYD) 667

K

Kidney: *dl*-Tyrosine oxidation (BERNHEIM) 217
l-Tyrosine oxidation (BERNHEIM) 217

L

Lead: Urine, microdetermination (ROSS and LUCAS) 285
Leaf: Carotene (MACKINNEY) 75
Starch, isolation and properties (SPOEHR and MILNER) 679
Lipids: Blood plasma, age effect (PAGE, KIRK, LEWIS, THOMPSON, and VAN SLYKE) 613
Jelly, Wharton (BOYD) 667
Liver: Arginase, myasthenia gravis (MILHORAT) 379
Phospholipid, fat metabolism relation (SINCLAIR) 515
dl-Tyrosine oxidation (BERNHEIM) 217
l-Tyrosine oxidation (BERNHEIM) 217
Lysergic acid: (JACOBS and CRAIG) 455
Lysine: *l*-, peptides, papain effect (BERGMANN, ZERVAS, and ROSS) 245
—, —, synthesis (BERGMANN, ZERVAS, and ROSS) 245

M

Magnesium: Tissues, determination (GREENBERG, ANDERSON, and TUFTS) 561
Urine, determination (GREENBERG, ANDERSON, and TUFTS) 561
Mercuric chloride: Thiol compounds, reaction (SHINOHARA) 435
Metabolism: Intermediary, deuterium as indicator (SCHOENHEIMER and RITTENBERG) 163 (RITTENBERG and SCHOENHEIMER) 169
Phospholipids (SINCLAIR) 261, 275, 515
Metal derivatives: Insulin inactivation effect (SCHOCK, JENSEN, and HELLERMAN) 553

Methane: Methyloctylphenethyl-, optical rotation (LEVENE and HARRIS) 735
Methionine: Utilization, growth, bromobenzene effect (WHITE and JACKSON) 507
Methylglyoxal: Thiol acids, combination (SCHUBERT) 671
Methyloctylphenethylmethane: Optical rotation (LEVENE and HARRIS) 735
Methylose: *d*-Gulo-, crystalline, and derivatives (LEVENE and COMPTON) 335
d-Xylo-, and derivatives (LEVENE and COMPTON) 325
Monohydric substrates: Tyrosinase action (GRAUBARD and NELSON) 757
Muscle: Annelid (KURTZ and LUCK) 577
Inosinic acid (LEVENE and TIPSON) 313
Myasthenia gravis: Liver arginase (MILHORAT) 379

N

Nucleotides: Ribose, synthesis (LEVENE and TIPSON) 313

O

Oat: Hulls, hemicellulose (ANDERSON and KRZNARICH) 549
Oxidation: Dinitrocresol effect (KRAHL and CLOWES) 355
Oxygen: Blood, capacity and content, glutathione state, relation (OBERST and WOODS) 1
Oxyhemoglobin: Light absorption, concentration effect (RAY and BLAIR) 371

P

Papain: *l*-Lysine peptides, effect (BERGMANN, ZERVAS, and ROSS) 245
Proteolytic systems (BERGMANN and ROSS) 659
Specificity (BERGMANN, ZERVAS, and FRUTON) 225
Parathyroid: Vitamin D relation (JONES) 155
Pear: Coating, wax-like (MARKLEY, HENDRICKS, and SANDO) 133
Peptides: *l*-Lysine, papain effect (BERGMANN, ZERVAS, and ROSS) 245
—, synthesis (BERGMANN, ZERVAS, and ROSS) 245
Phenol: α-Dinitro-, organ vitamin C, ascorbic acid administration with, effect (SVIRBELY) 147
Phosphate: Yeast zymin fermentation, electrolytes and ethanol effect (STAVELY, CHRISTENSEN, and FULMER) 791
Phospholipids: Fatty acids, saturated and unsaturated (SINCLAIR) 261
Liver, fat metabolism relation (SINCLAIR) 515
Tissue, elaidic acid, relation (SINCLAIR) 515
—, fatty acids, unsaturated, selection and retention (SINCLAIR) 275

Phospho-12-tungstic acid: *dl*-Cystine precipitation (Toennies and Elliott) 61
l-Cystine precipitation (Toennies and Elliott) 61
m-Cystine precipitation (Toennies and Elliott) 61
Photometer: Photoelectric comparison (Goudsmit and Summerson) 421
Propyl acids: Iso-, normal series, configurational relationship (Levene and Marker) 299
Protein(s): Blood cells and plasma, *in vitro*, distribution (Bellis and Scott) 17
Hydrolysates, toxic, selenium removal (Painter and Franke) 643
Total, blood plasma and serum (Lehman and Scott) 43
Yeast invertase activity, influence (Saul and Nelson) 95
Proteolysis: Enzymes (Bergmann, Zervas, and Fruton) 225
(Bergmann, Zervas, and Ross) 245
Systems, papain (Bergmann and Ross) 659
Pyridine hemochromogen: Carbon monoxide absorption (Clifcorn, Meloche, and Elvehjem) 399
Pyrus communis: *See* Pear

Q

Quinhydrone: Electrode, micro, aqueous humor hydrogen ion concentration determination, rachitic and normal rats (Pierce) 501

R

Ribose: Nucleotides, synthesis (Levene and Tipson) 313
Rickets: Aqueous humor hydrogen ion concentration determination, microquinhydrone electrode (Pierce) 501

S

Selenium: Protein hydrolysates, toxic, removal (Painter and Franke) 643
Skeleton: Calcium, soft tissues and, distribution (Bessey, King, Quinn, and Sherman) 115
Sodium chloride: Amino acids, reaction (Joseph) 489
Starch: Leaf, isolation and properties (Spoehr and Milner) 679
Stearic acid: *dl*-α-Hydroxy-, oxidation, cerebronic acid chemical constitution, relationship (Klenk and Ditt) 749
(Levene and Yang) 751
Sugar: Determination, ferricyanide electrode (Shaffer and Williams) 707
Sulfhydryl compounds: Insulin inactivation effect (Schock, Jensen, and Hellerman) 553
Sulfhydryl group: Hypotrichosis, hereditary, trichogenic action (Martin and Gardner) 193
Suprarenals: *See* Adrenals

Swine: Blood (EVELETH and EVELETH) 753

T

Taurine: *Audouinia spirabranchus* (KURTZ and LUCK) 577
Thallous chloride: Amino acids, reaction (JOSEPH) 489
Thiol acids: Methylglyoxal, combination (SCHUBERT) 671
Thiol compounds: Mercuric chloride reaction (SHINOHARA) 435
Thyroid: Organ vitamin C, ascorbic acid administration with, effect (SVIRBELY) 147
Tissues: Carbohydrates, determination (BLATHERWICK, BRADSHAW, EWING, LARSON, and SAWYER) 537
Phospholipids, elaidic acid, relation (SINCLAIR) 515
—, fatty acids, unsaturated, selection and retention (SINCLAIR) 275
Trichogenesis: Hypotrichosis, hereditary, sulfhydryl group action (MARTIN and GARDNER) 193
Trypsin: Trypsinogen, enterokinase, system (BATES and KOCH) 197
Trypsinogen: Determination (BATES and KOCH) 197
Tyrosinase: Mono- and dihydric substrates, action (GRAUBARD and NELSON) 757
Tyrosine: *dl*-, oxidation, liver and kidney (BERNHEIM) 217
l-, oxidation, liver and kidney (BERNHEIM) 217

V

Vitamin: C, organs, ascorbic acid administration with thyroid, α-dinitrophenol, and cortical hormone extract, effect (SVIRBELY) 147
—. *See also* Ascorbic acid
D, parathyroid activity, relation (JONES) 155
G, chick requirements (LEPKOVSKY and JUKES) 119

W

Wax: Coating, pear (MARKLEY, HENDRICKS, and SANDO) 133
Wharton: Jelly, lipid (BOYD) 667

X

Xylomethylose: *d*-, and derivatives (LEVENE and COMPTON) 325

Y

Yeast: Invertase activity, protein influence (SAUL and NELSON) 95
Zymin, carbon dioxide production, electrolytes effect (STAVELY, CHRISTENSEN, and FULMER) 771
—, — — —, ethanol effect (STAVELY, CHRISTENSEN, and FULMER) 785
—, fermentation, phosphate content, electrolytes and ethanol effect (STAVELY, CHRISTENSEN, and FULMER) 791

Z

Zinc chloride: Amino acids, reaction (JOSEPH) 479

Zymin: Yeast, carbon dioxide production, electrolytes effect (STAVELY, CHRISTENSEN, and FULMER) 771
—, — — —, ethanol effect (STAVELY, CHRISTENSEN, and FULMER) 785
Zymin—*continued:*
Yeast, fermentation, phosphate content, electrolytes and ethanol effect (STAVELY, CHRISTENSEN, and FULMER) 791